

Do not enter
8/20/08

Application No.: 09/479,564

Docket No.: A3156.0013/P013

AMENDMENTS TO THE CLAIMS

Claim 1. (Currently Amended) A destination ~~calling~~ contacting control system comprising:

- a database;
- an image storage for storing image data;
- a display for displaying said image data;
- area specification means for specifying a destination image area within an image displayed on said display;
- input means for entering destination data corresponding to the destination image area said destination data chosen from the group consisting of telephone number, fax number, and email;
- data registration means for calculating coordinate data of said destination image area, associating said coordinate data with ~~[[the]]~~ said destination data, and storing ~~[[said]]~~ an associated data for said coordinate data and said destination data in said database; ~~[[and]]~~
- a searcher for retrieving destination data based on said associated data a portion of said image selected by said area specification means; and
- ~~calling~~ contacting means for contacting the destination based on the destination data and the destination area.

Claim 2. (Previously Presented) The destination ~~calling~~ contacting control system as defined by claim 1, wherein said display comprises a touch screen.

Claim 3. (Previously Presented) The destination ~~calling~~ contacting control system as defined by claim 1, further comprising:

an image capturing device for capturing a plurality of images;
a title image creator for creating a title image; and
an image paster for creating a paste image comprising said title image
and said plurality of destination images and for storing the said image storage.

Claim 4. (Previously Presented) The destination ~~calling~~ contacting control system as defined by claim 3, wherein said display displays said title image as a reference and allows a user to scroll across the paste image.

Claim 5. (Previously Presented) The destination ~~calling~~ contacting control system as defined by claim 3, wherein
each destination image and the title image assigned a corresponding number on a numeric keypad, and
said display displays the destination image or the title image in response to the number of the numeric key that is pressed.

Claim 6. (Previously Presented) The destination ~~calling~~ contacting control system as defined by claim 3, wherein the destination image captured by said image capturing device is a photographic image.

Claim 7. (Previously Presented) The destination ~~calling~~ contacting control system as defined by claim 3, wherein at least one of destination images of said paste image is a handwritten input image created by said title image creator.

Claim 8. (Previously Presented) The destination ~~calling~~ contacting control system as defined by claim 1 wherein said data registration means defines an outline of said destination image area, calculates the coordinate data of said outline,

associates said coordinate data with said destination data, and stores said associated data in said database.

Claim 9. (Currently Amended) [[The]] A destination calling control method comprising:

- capturing image data;
- storing the image data;
- displaying said image data as a displayed image;
- selecting specifying a portion of the destination-image area within said displayed image;

- entering destination data corresponding to said portion of the destination-image area, said destination data chosen from the group consisting of telephone number, fax number, and email;

- calculating coordinate data for said portion of the destination-image area, associating said coordinate data with said portion of the destination-image area, and storing the associated data in a database;

- retrieving destination data by selecting specifying said portion of the destination-image area;

- calculating said coordinates of said specified destination image area and searching said database for the destination data; and

- contacting said destination corresponding to the destination data.

Claim 10. (Previously Presented) The destination calling control method as defined by claim 9, further comprising:

- creating a paste image by pasting a plurality of destination images and a title image;

storing said paste image;
displaying said title image as a reference; and
selecting a destination image by scrolling across said paste image on the display.

Claim 11. (Previously Presented) The destination calling control methods as defined by claim 9, further comprising assigning a unique number on a numeric keypad to a paste image, and displaying the destination image or the title image in response to the number of the numeric key that is pressed.

Claim 12. (Previously Presented) The destination calling control method as defined by claim 10, wherein a photographic image or a handwritten input image is used as the destination image constituting said paste image.

Claim 13. (Previously Presented) The destination calling control method as defined by claim 11, wherein a photographic image or a handwritten input image is used as the destination images constituting said paste image.

Claim 14. (Previously Presented) The destination calling control method as defined by claim 9, wherein the coordinate data of said destination image area is obtained by extracting an outline of a destination object in said destination image area and by calculating said coordinates of an area encircled by said outline.

Claim 15. (Currently Amended) A computer readable program product, said program product is configured to execute in a computer the following destination calling control method comprising:

capturing desired image data and storing said data;

displaying said image data;
specifying a desired area within an image displayed corresponding to said image data and, entering destination data corresponding to a desired image area said destination data chosen from the group consisting of telephone number, fax number, and email;
calculating coordinate data of said desired area, associating said coordinate data with said destination data and storing said associated data in a database;
specifying as a destination, the desired area in the image and calculating the coordinate of the desired area specified searching said database for the destination data based on the coordinate[[,]]; retrieving said destination data by selecting said portion of said image;
and
calling the destination based on the destination data.

Claim 16. (Previously Presented) The computer readable program product as defined by claim 15, further comprising creating a paste image by pasting a plurality of destination images with a title image;
storing said paste image;
displaying said title image as a reference; and
selecting said destination image by scrolling across the paste image on the display screen.

Claim 17. (Previously Presented) The computer readable program product as defined by claim 15, further comprising:

assigning a unique number on a numeric keypad to a paste image, and displaying the paste image assigned to said numeric key in response to the number of the numeric key that is pressed.

Claim 18. (Previously Presented) The computer readable program product as defined by claim 16, wherein a photographic image or handwritten input image is used as the destination images constituting said paste image.

Claim 19. (Previously Presented) The computer readable program product as defined by claim 17, wherein a photographic image or a handwritten input image is used as the destination images constituting said paste image.

Claim 20. (Previously Presented) The computer readable program product as defined by claim 15 wherein the coordinate data of said destination image area calculated is obtained by extracting an outline of a destination object in said destination image area and by calculating said coordinates of an area encircled by said outline.

Claim 21. (Currently Amended) A destination ~~calling~~ contacting control system comprising:

- a memory device configured to store a database;
- an image storage unit for storing image data;
- a display unit for displaying the image data;
- an area specification unit configured to allow a user to specify a portion of the desired area within the image displayed on said display unit;
- an input unit for entering destination data, said destination data chosen from the group consisting of telephone number, fax number, and email;

a data registration unit configured to calculate coordinate data of the portion of the area specified by said area specification unit as a destination image area, associating the coordinate data with the destination data entered from said input unit, and to register the associated data in said database;

an area selection unit to select a portion of the area within the displayed image;

a destination data search unit configured to calculate the coordinates of the portion of the area specified by said area selection ~~specification~~ unit as a destination and to search said database for the destination data based on the coordinates; and

a calling unit calling the destination based on the destination data obtained by said destination data search unit.

Claim 22. (Previously Presented) The destination ~~calling~~ contacting control system as defined by claim 21, wherein said display unit comprises a touch screen.

Claim 23. (Previously Presented) The destination ~~calling~~ contacting control system as defined by claim 21, further comprising:

an image capturing unit configured to capture at least one destination image;

a title image creation unit creating a title image; and

an image pasting unit configured to paste the title image created by said title image creation unit and destination image captured by said image capturing unit and to store the pasted images into said image storage unit.

Claim 24. (Previously Presented) The destination ~~ealing~~ contacting control system as defined by claim 23, wherein said display unit displays said title image of a paste image as a reference and allows the user to scroll across a whole of the paste image.

Claim 25. (Previously Presented) The destination ~~ealing~~ contacting control system as defined by claim 23 wherein

each destination image and the title image of the paste image is assigned a number on a keypad and

said display unit displays the destination image or the title image in response to the key of said keypad that is pressed.

Claim 26. (Previously Presented) The destination ~~ealing~~ contacting control system as defined by claim 23 wherein the destination image captured by said image capturing unit is a photographic image.

Claim 27. (Previously Presented) The destination ~~ealing~~ contacting control system as defined by claim 23 wherein at least one of said destination images of said paste image is a handwritten input image created by said title image creation unit.

Claim 28. (Previously Presented) The destination ~~ealing~~ contacting control system as defined by claim 21 wherein said data registration unit extracts an outline of a destination object in the destination image area, calculates the coordinate data of an area encircled by the outline, associates the coordinate data with the destination data, and stores the associated data in said database.

Claim 29. (Previously Presented) The destination ~~calling~~ contacting control system according to claim 1, further comprising:

destination data search means for calculating coordinates of a selected area indicating a destination image area for searching said database means for the destination data associated with the coordinates; and

calling means for calling the destination associated with the destination data obtained by said destination data search means.

Claim 30. (Previously Presented) A destination calling control method comprising:

capturing an image;

storing said image;

selecting a portion of said image;

entering destination data corresponding to said portion of said image, said destination data chosen from the group consisting of telephone number, fax number, and email;

storing said destination data corresponding to said portion of said image;

retrieving said destination data by selecting said portion of said image; and

dialing a call utilizing said destination data.

31. (Previously Presented) The destination calling control method according to claim 30 wherein said image includes at least a portion of a person.

32. (Previously Presented) A destination calling apparatus comprising:

- a memory for storing an image;
- a display for displaying said image;
- a selector for selecting a portion of said image;
- an input device for entering destination data corresponding to said portion of said image, said destination data chosen from the group consisting of telephone number, fax number, and email;
- a register for calculating coordinate data for said portion of said image, associating said coordinate data with said destination data, and storing said associated data in said memory;
- a searcher for retrieving destination data based on coordinates of a portion of said image selected by said selector; and
- a calling device for calling using the destination data retrieved by said searcher.

33. (Previously Presented) A computer readable program product according to claim 15 wherein said program product is carried on a medium.